

Addendum 1

City of Seguin Sidewalk Improvements Nolte, Guadalupe, & Castilla Park Project Bid No. TF-2017-27

This Addendum No. 1 shall provide clarification and/or modification to the existing Bid Documents, Plans, and Specifications representing the City of Seguin, Sidewalk Improvements Nolte, Guadalupe, & Castilla Park.

Addendum 1:

- Attached is the revised cover sheet for the Bid Documents.
- Additive Alternate 1 consists of additional 5' wide concrete sidewalk extension proposed along the western side of North Guadalupe Street to Rio Nogales Drive as identified on Sheet C3.1 of the Construction Plans.
- Power Poles notated as "RELOCATE EXISTING POWER POLE (BY CITY)" will be relocated by City Electric Crews prior start of construction. No additional work is anticipated by the contractor therefore Bid Item 5 (on previous Bid Proposal Section 00210) was removed.
- Attached is a revised Bid Proposal Section 00210. Some quantities have changed to reflect the most current plan set. The Section 00210 of the previous Bid Documents is replaced by the attached file in its entirety.
- This Addendum does not change the timing of the bidding date or pre-bid conference.



Chris Van Heerde, P.E.
7/25/17



It's real.

BID DOCUMENTS AND SPECIFICATIONS

Sidewalk Improvements Nolte, Guadalupe, & Castilla Park

Project Bid No. TF-2017-27

SEGUIN CITY COUNCIL

Don Keil – Mayor

Ernest Leal

Jeanette “Jet” Crabb

Chris Rangel

Carlos Medrano

Fonda Mathis

Donna Dodgen

Mark Herbold

Douglas G. Faseler, City Manager

Andy Quittner, City Attorney

Naomi Manski, City Secretary

Jose (Joe) R. Ramos, Jr., P.E.
City Engineer

Prepared by
City of Seguin
and
HMT Engineering and Surveying



Chris Van Heerde, P.E.
7/25/17

**00210
PROPOSAL**

NOLTE, GUADALUPE, & CASTILLA PARK SIDEWALK IMPROVEMENTS PROJECT

BID NO. TF-2017-27

ESTIMATED DEMOLITION QUANTITIES

ITEM NO.	ESTIMATED QUANTITY	DESCRIPTION AND UNIT PRICE OF ITEM IN WORDS	UNIT PRICE IN FIGURES	TOTAL PRICE
1	94 LF	Sawcut existing concrete curb for the sum of _____ dollars and _____ cents per linear foot.	\$ _____	\$ _____
2	525 SY	Remove existing concrete driveway/sidewalk (includes saw cutting as necessary) for the sum of _____ dollars and _____ cents per square yard.	\$ _____	\$ _____
3	757 SY	Remove existing asphalt pavement (includes saw cutting as necessary) for the sum of _____ dollars and _____ cents per square yard.	\$ _____	\$ _____
4	7 EA	Relocate existing sign for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
5	116 LF	Remove existing wall for the sum of _____ dollars and _____ cents per linear foot.	\$ _____	\$ _____
6	161 LF	Remove existing metal beam guard fence and supports for the sum of _____ dollars and _____ cents per linear foot.	\$ _____	\$ _____
7	1 EA	Remove existing curb inlet for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
8	5 SY	Remove existing concrete rip-rap for the sum of _____ dollars and _____ cents per square yard.	\$ _____	\$ _____
9	60 LF	Remove existing picket fence for the sum of _____ dollars and _____ cents per linear foot.	\$ _____	\$ _____
10	1 LS	Remove existing fence poles for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
11	5 EA	Tree Protection for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____

ESTIMATED CONSTRUCTION QUANTITIES

ITEM NO.	ESTIMATED QUANTITY	DESCRIPTION AND UNIT PRICE OF ITEM IN WORDS	UNIT PRICE IN FIGURES	TOTAL PRICE
12	654 SY	Construct concrete sidewalk for the sum of _____ dollars and _____ cents per square yard.	\$ _____	\$ _____
13	433 SY	Construct concrete Hike and Bike Trail for the sum of _____ dollars and _____ cents per square yard.	\$ _____	\$ _____
14	235 SY	Construct concrete driveway apron for the sum of _____ dollars and _____ cents per square yard.	\$ _____	\$ _____
15	181 LF	Construct 6" concrete curb and gutter for the sum of _____ dollars and _____ cents per linear foot.	\$ _____	\$ _____
16	319 LF	Cap existing concrete curb (height varies) and includes all necessary reinforcing steel dowels and epoxy for the sum of _____ dollars and _____ cents per linear foot.	\$ _____	\$ _____
17	20 LF	Construct one 20 foot-wide curb inlet with rear openings (includes steel and tie to existing pavement/sidewalk) for the sum of _____ dollars and _____ cents per linear foot.	\$ _____	\$ _____
18	258 SY	Construct asphalt pavement for the sum of _____ dollars and _____ cents per square yard.	\$ _____	\$ _____
19	338 SY	Construct asphalt pavement (2" Type "D" HMAC) for the sum of _____ dollars and _____ cents per square yard.	\$ _____	\$ _____
20	338 SY	Install 8" thick flex base course within W. Nolte (includes necessary traffic controls for work area) for the sum of _____ dollars and _____ cents per square yard.	\$ _____	\$ _____

21	458 LF	Install 6' cyclone fence (includes signage for temporary sidewalk closure) for the sum of _____ dollars and _____ cents per linear foot.	\$ _____	\$ _____
22	4 EA	Install crosswalk striping for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
23	4 EA	Install stop bar striping for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
24	418 LF	Install 4" parking space striping for the sum of _____ dollars and _____ cents per linear foot.	\$ _____	\$ _____
25	1 EA	Install accessible parking symbol for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
26	1 EA	Install accessible parking sign for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
27	175 LF	Install bike lane striping for the sum of _____ dollars and _____ cents per linear foot.	\$ _____	\$ _____
28	3 EA	Install bike lane sharrow striping for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
29	5 EA	Install traffic rated water meter box _____ and cover for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
30	1 EA	Install traffic rated irrigation valve box _____ and cover for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
31	1 EA	Install traffic rated water valve cover for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
32	5 EA	Construct accessible ramp at driveway for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
33	1 EA	Construct TxDOT Type 1 accessible ramp for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____

34	4 EA	Construct TxDOT Type 2 accessible ramp for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
35	6 EA	Construct TxDOT Type 7 accessible ramp for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
36	167 LF	Install TxDOT Type T411 rail for the sum of _____ dollars and _____ cents per linear foot.	\$ _____	\$ _____
37	167 LF	Install TxDOT Type RW1 (L) A wall _____ with Ashlar Façade for the sum of _____ dollars and _____ cents per linear foot.	\$ _____	\$ _____
38	27 SY	Install rock rip-rap for the sum of _____ dollars and _____ cents per square yard.	\$ _____	\$ _____
39	1 EA	Adjust wastewater manhole cover for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
40	4 EA	Bollard for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
41	1 EA	Bike route sign for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____

TOTAL BASE BID

\$ _____

42	186 SY	Construct concrete sidewalk for the sum of _____ dollars and _____ cents per square yard.	\$ _____	\$ _____
----	--------	---	----------	----------

SUBTOTAL ADDITIVE ALTERNATE #1

\$ _____

TOTAL BASE BID + ADDITIVE ALTERNATE #1

\$ _____

The above prices shall include all labor, materials, overhead, profit, insurance, etc. to cover the finished work of the kinds called for.

The work proposed to be done shall be accepted when fully completed and finished in accordance with the plans and specifications to the satisfaction of the City Engineer. The undersigned Bidder hereby declares that he has visited the site of the work and has carefully examine the contract documents pertaining to the work covered in the above bid, and that the bid prices contained in the proposal have been carefully checked and are submitted as correct and final.

The Contractor agrees to complete the project on which he has bid, as specified and shown on the plans, within 60 consecutive calendar days.

The Bidder agrees that this bid shall be good and may not be withdrawn for a period of ninety (90) calendar days after the scheduled closing time for receiving bids.

Enclosed with this proposal is a Proposal Bond in the sum of 5% of total proposal, which it is agreed shall be collected and retained by the Owner as liquidated damages in the event his proposal is accepted by the Owner with ninety (90) days after the bids are received and the undersigned fails to execute the contract for the Owner within ten (10) days after date said proposal is accepted, otherwise said check or bond shall be returned to the undersigned upon demand.

Business Name

Authorized Signature

Address

Printed Name

City, State, Zip Code

Title

Phone Number

Date

Email Address

Addendum 2

City of Seguin Sidewalk Improvements Nolte, Guadalupe, & Castilla Park Project Bid No. TF-2017-27

This Addendum No. 2 shall provide clarification and/or modification to the existing Bid Documents, Plans, and Specifications representing the City of Seguin, Sidewalk Improvements Nolte, Guadalupe, & Castilla Park.

Addendum 2:

- Weekend work may be allowed with City approval a minimum of 24 hours prior notification prior to the date.
- The Registered Accessibility Specialist (RAS) is currently reviewing the construction plans. If plan changes are required based on this review, they will be handled as a change order to the contract at a later date.
- Contractor shall start construction will Camp Street and W Nolte and then move to South Guadalupe Street and finally to the North Guadalupe Street area adjacent to Castilla Park.
- ADA compliance is required for all work. Inspection of the sidewalk slopes and ramps will be performed by the RAS.
- Revised sheet C3.2 was issued. There was a callout in the table and on the plan view that showed TxDOT Type 1 Accessible Ramp. This was changed to a TxDOT Type 7 Accessible Ramp.
- Attached is a revised Bid Proposal Section 00210. Item 33 for TxDOT Type 1 Accessible Ramp was struck from the table. The quantity of item 35 TxDOT Type 7 Accessible Ramp was changed to be 8. The Section 00210 of the previous Bid Documents is replaced by the attached file in its entirety.



Chris Van Heerde, PE
8/4/17

**PRE-BID MEETING
CITY OF SEGUIN
NOLTE, GUADALUPE AND CASTILLA PARK
SIDEWALK IMPROVEMENTS PROJECT
AUGUST 1, 2017 @ 3:00 P.M.
TF-2017-27**

1. Meeting purpose and goals.

2. Pre-Bid Agenda

This agenda is used only as a "checklist" for items of discussion for the pre-bid meeting prior to submission of bids by CONTRACTOR. Regardless of items/issues discussed related to this document, CONTRACTOR must comply with all requirements of the engineering plans and specifications, contract documents and additional documents (described in specification Section B).

3. Introduce meeting participants. Complete meeting attendance record.

4. Bids due August 8, 2017 at 2:30 P.M. (CDST) at City of Seguin City Hall, 205 North River Street. Items required include the following:

- a. Bid Forms
- b. Proposal, including any addendums
- c. Bidder's Exception Form
- d. Experience Record Form
- e. Statement of Bidder's Qualifications
- f. Conflict of Interest Questionnaire
- g. Form 1295
- h. Bid Bond/Cashier's Check (5%)
- i. Insurance Requirement Affidavit

5. Engineer/City personnel involvement.

HMT Engineering:

Stephen Hanz, P.E., is the Principal in Charge for the Project and has overall responsibility to the Owner for the Project.

Chris Van Heerde, P.E. is the Project Manager for the Project and will be responsible for the day-to-day management of the project and in particular the design aspects of the project. Mr. Van Heerde is also the project engineer and is responsible for the review of technical information related to the design intent and any modifications made to the design. He will serve as the agent of authority for the engineer.

City of Seguin:

~~Michael Sharp, P.E.~~ Matt Pekar is the Project Manager point of contact for the Project on the City's behalf. He will handle correspondence and notifications within the City and to

landowners. [His contact number is 830-401-2402. Contact Michael Sharp, Engineer Associate, during periods when the project manager is out of the office.](#)

6. Questions/ Answers

a. All future questions, interpretations, etc. shall be directed to:
Chris Van Heerde, P.E. in writing at chrisvh@hmtnb.com or 410 N. Seguin Ave, New Braunfels, Texas 78130. (Phone: 830-625-8555)

b. All alternate "or equal" materials must be submitted two (2) weeks prior to the bid opening.

7. Schedule

Contract period will extend for 60 consecutive calendar days for substantial completion from time specified in Notice to Proceed.

8. Principle Items of Construction:

a. Concrete for sidewalks/driveways

b. [Asphalt Paving](#)

b.c. [Storm Inlet; Retaining Wall](#)

9. Property Access

- a. All construction activities to have the minimum possible impact on property access, neighborhood mobility and quality of life.
- b. Emergency access is required at all times.
- c. Employee/equipment parking is not allowed within private property. Field crews will be allowed to park their vehicles within public right of way.
- d. Residence's driveways shall be accessible at the end of each day (5:00 p.m.).
- e. Easements: [Right of Entry, the access easement and right of entry/right to construct documents will be procured by the start of construction.](#)

10. Trees

- a. If any oak wilt has been found within the area, precautions should be taken to avoid the spread of this disease per the specifications. The City will inspect and record known issues. The Contractor should inspect and record known issues prior to mobilization from area to area.
- b. It is imperative any damage or removed limbs from the trees be painted within 15 minutes of cutting to control the spread of oak wilt.
- c. All equipment must be sanitized immediately after and prior to any cuttings.
- d. All precautions must be taken to protect all trees.
- e. Tree damages will be enforced per specifications.

11. Drainage

It is the Contractors responsibility for pumping, bailing, or draining ponding areas within the work area created by construction. The nearest existing storm sewer facilities may be utilized for discharge. If the Contractor elects to discharge to the streets, flow must remain within the pavement section and not impact private properties. Discharge to private property will not be allowed.

[Inlet Protection/SWPPP measures required.](#)

12. Mailboxes

Any mailboxes to be relocated must be reconstructed to identically match the original facade. All construction materials shall be reused if identical material is unavailable.

13. Housekeeping

- a. Housekeeping will be carefully monitored during the duration of the project. Dust and mud will be controlled per the plans and specifications. Contractor shall provide dust control at a minimum of three (3) times daily regardless if work is taking place or not. Toilet facilities shall be maintained regularly.
- b. Contractor shall contain equipment and materials in an organized manner and shall only store materials within the street right-of-way that are being used for that day's construction activity. Any equipment left overnight must be sectioned off with orange plastic fencing or CTBs.
- c. Contractor shall spend time on housekeeping at the end of each work day. Construction ditches shall to be closed up (backfilled or steel plates) and materials removed allowing access along the road in the evenings.

14. Construction Schedule

Schedule of construction to be maintained. Failure to meet the construction schedule will result in liquidated damages. The contract completion dates are as shown in the supplemental conditions and liquidated damages have been established in the contract documents. Work hours are from 8:00 AM to 6:00 PM unless alternate hours are approved by the Owner. Special care to be taken to maintain safe and efficient traffic flow during the peak hours of travel in the morning and in the afternoon. [Saturday work feasible if granted by City. Contractor must make their request for weekend work at least 24 hours in advance.](#)
[Work shall begin at Camp & Nolte Street, proceed to S. Guadalupe Street, and finally end at the N. Guadalupe Street adjacent to Castilla Park.](#)

15. Notify Fire, EMS, City Staff (Michael Sharp) and Police Department for any road closures.

- a. Contractor to contact ~~Michael Sharp~~[Matt Pekar](#) about road cuts to release public notice (7 days in advance of the work performed on the roads). Once approved, Contractor shall re-notify a minimum of 48 hours prior to actual road closure.
- b. Traffic Control: Traffic control is the responsibility of the contractor and shall submit TCP's prior to construction; using standards set by the TMUTCD. TCP's do not have to be stamped by an engineer.
- c. [Notifications to 321 and 323 Nolte and Red Carpet Auto Sales.](#)
- ~~e.~~[d. Sidewalk closed, adequate signage, recommended limited areas open at lunch time](#)

16. Control of project site.

- a. Safety is contractor's responsibility. All OSHA rules and requirements to be followed.
- b. Security, access to site and parking sites.
- c. Sanitation facilities required with maintenance schedule.
- d. Job site cleanliness, dust abatement and City-approved company for disposal of waste.

- e. Barricades and traffic control.
- f. Project signs.
- g. All citizen problems/correspondence to be routed through City.
- h. Video and photo documentation of site prior to construction.

17. Layout and survey work

- a. Responsibility for surveying – Contractor
- b. Location and types of controls shown on plans and completed by HMT.
- c. HMT Engineering will provide digital files upon request and receipt of Hold Harmless Agreement

18. Progress Meetings

~~Monthly-Biweekly construction and monthly~~ progress meetings ~~may be scheduled~~~~shall be scheduled~~ to discuss project performance, scheduling, delays, construction issues, equipment or material deliverables, partial payment request review, etc. Contractor's project manager must attend all meetings in addition to the superintendent. Updated construction schedules shall be made available for discussion at the meeting.

Bi-Weekly "Field" meetings shall be held at a pre-determined location with the superintendent to discuss items listed above and items of work flow from previous week and upcoming week.

19. Record Drawings/As-Built Plans

CONTRACTOR shall maintain a set of construction plans on-site in the field office that will reflect all changes to the original project design. Plans shall kept updated with the changes and will be reviewed during the monthly meetings. The plans shall be submitted to HMT as part of the project closeout procedures.

20. Guarantee/Warranty

The project guarantee/warranty shall extend for ~~two~~~~one~~ (12) years from date of final acceptance by the City.

21. Existing Conveyance Systems.

Water, sewer, and storm sewer systems are in operation currently and service needs to remain uninterrupted.

22. Status of RAS Review. (In Review)

Questions/ Answers:

Q1: What is the estimated construction cost for this project?

A1: The probable cost estimate prepared for this project is anticipated to cost between \$210,000 and \$230,000 depending upon the additive work.

Q2: When is the Start Date for Construction?

A2: We anticipate that the notice to proceed for construction will be in late September and after the contract is approved by City Council and all paperwork is in order.

Q3: What is the status of the RAS Review of the plans~~Comments?~~

A3: None at this time, plans are currently under review

NOLTE, GUADALUPE AND CASTILLA PARK SIDEWALK IMPROVEMENTS PROJECT

PRE-BID MEETING

TUESDAY, AUGUST 1, 2017 @ 3:00PM

#TF-2017-27

NAME	BUSINESS	PHONE #	EMAIL
Omar Sanchez	Oro, Mex Construction	830-637-0748	omar.xavier7@gmail.com
Joe Ramos	City of Seguin		
Daniel Arambula	City of Seguin		
Darian Amejorado	City of Seguin		
Twila Wood	COS	830-401-2451	twood@seguintexas.gov
Joe Dominguez	OES	830-556-8794	J.dominguez@dsconcretecontractors.net
Pam Herrera	City of Seguin	830-401-2776	pherrera@seguintexas.gov
Chris Van Heerde, PE	HMT Engineering	(830) 625-8555	chrishv@hmtfb.com
MICHAEL SHARP	CITY OF SEGUIN	(830) 386-2585	msharp@seguintexas.gov

00210

PROPOSAL

NOLTE, GUADALUPE, & CASTILLA PARK SIDEWALK IMPROVEMENTS PROJECT

BID NO. TF-2017-27

ESTIMATED DEMOLITION QUANTITIES

ITEM NO.	ESTIMATED QUANTITY	DESCRIPTION AND UNIT PRICE OF ITEM IN WORDS	UNIT PRICE IN FIGURES	TOTAL PRICE
1	94 LF	Sawcut existing concrete curb for the sum of _____ dollars and _____ cents per linear foot.	\$ _____	\$ _____
2	525 SY	Remove existing concrete driveway/sidewalk (includes saw cutting as necessary) for the sum of _____ dollars and _____ cents per square yard.	\$ _____	\$ _____
3	757 SY	Remove existing asphalt pavement (includes saw cutting as necessary) for the sum of _____ dollars and _____ cents per square yard.	\$ _____	\$ _____
4	7 EA	Relocate existing sign for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
5	116 LF	Remove existing wall for the sum of _____ dollars and _____ cents per linear foot.	\$ _____	\$ _____
6	161 LF	Remove existing metal beam guard fence and supports for the sum of _____ dollars and _____ cents per linear foot.	\$ _____	\$ _____
7	1 EA	Remove existing curb inlet for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
8	5 SY	Remove existing concrete rip-rap for the sum of _____ dollars and _____ cents per square yard.	\$ _____	\$ _____
9	60 LF	Remove existing picket fence for the sum of _____ dollars and _____ cents per linear foot.	\$ _____	\$ _____
10	1 LS	Remove existing fence poles for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
11	5 EA	Tree Protection for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____

ESTIMATED CONSTRUCTION QUANTITIES

ITEM NO.	ESTIMATED QUANTITY	DESCRIPTION AND UNIT PRICE OF ITEM IN WORDS	UNIT PRICE IN FIGURES	TOTAL PRICE
12	654 SY	Construct concrete sidewalk for the sum of _____ dollars and _____ cents per square yard.	\$ _____	\$ _____
13	433 SY	Construct concrete Hike and Bike Trail for the sum of _____ dollars and _____ cents per square yard.	\$ _____	\$ _____
14	235 SY	Construct concrete driveway apron for the sum of _____ dollars and _____ cents per square yard.	\$ _____	\$ _____
15	181 LF	Construct 6" concrete curb and gutter for the sum of _____ dollars and _____ cents per linear foot.	\$ _____	\$ _____
16	319 LF	Cap existing concrete curb (height varies) and includes all necessary reinforcing steel dowels and epoxy for the sum of _____ dollars and _____ cents per linear foot.	\$ _____	\$ _____
17	20 LF	Construct one 20 foot-wide curb inlet with rear openings (includes steel and tie to existing pavement/sidewalk) for the sum of _____ dollars and _____ cents per linear foot.	\$ _____	\$ _____
18	258 SY	Construct asphalt pavement for the sum of _____ dollars and _____ cents per square yard.	\$ _____	\$ _____
19	338 SY	Construct asphalt pavement (2" Type "D" HMAC) for the sum of _____ dollars and _____ cents per square yard.	\$ _____	\$ _____
20	338 SY	Install 8" thick flex base course within W. Nolte (includes necessary traffic controls for work area) for the sum of _____ dollars and _____ cents per square yard.	\$ _____	\$ _____

21	458 LF	Install 6' cyclone fence (includes signage for temporary sidewalk closure) for the sum of _____ dollars and _____ cents per linear foot.	\$ _____	\$ _____
22	4 EA	Install crosswalk striping for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
23	4 EA	Install stop bar striping for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
24	418 LF	Install 4" parking space striping for the sum of _____ dollars and _____ cents per linear foot.	\$ _____	\$ _____
25	1 EA	Install accessible parking symbol for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
26	1 EA	Install accessible parking sign for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
27	175 LF	Install bike lane striping for the sum of _____ dollars and _____ cents per linear foot.	\$ _____	\$ _____
28	3 EA	Install bike lane sharrow striping for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
29	5 EA	Install traffic rated water meter box _____ and cover for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
30	1 EA	Install traffic rated irrigation valve box _____ and cover for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
31	1 EA	Install traffic rated water valve cover for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
32	5 EA	Construct accessible ramp at driveway for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
33	1 EA	Construct TxDOT Type 1 accessible ramp for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____

34	4 EA	Construct TxDOT Type 2 accessible ramp for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
35	8 EA	Construct TxDOT Type 7 accessible ramp for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
36	167 LF	Install TxDOT Type T411 rail for the sum of _____ dollars and _____ cents per linear foot.	\$ _____	\$ _____
37	167 LF	Install TxDOT Type RW1 (L) A wall _____ with Ashlar Façade for the sum of _____ dollars and _____ cents per linear foot.	\$ _____	\$ _____
38	27 SY	Install rock rip-rap for the sum of _____ dollars and _____ cents per square yard.	\$ _____	\$ _____
39	1 EA	Adjust wastewater manhole cover for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
40	4 EA	Bollard for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____
41	1 EA	Bike route sign for the sum of _____ dollars and _____ cents per each.	\$ _____	\$ _____

TOTAL BASE BID

\$ _____

42	186 SY	Construct concrete sidewalk for the sum of _____ dollars and _____ cents per square yard.	\$ _____	\$ _____
----	--------	---	----------	----------

SUBTOTAL ADDITIVE ALTERNATE #1

\$ _____

TOTAL BASE BID + ADDITIVE ALTERNATE #1

\$ _____